




®



(c) 2018 Deciso B.V., All Rights Reserved. [rev.10082018]

OPNsense®

Turn-key OPNsense appliances from the founders



Securing Networks™

© 2018 Deciso B.V., All Rights Reserved.

All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publishers.

FANLESS!



Specifications

Name	OPNsense A10 Dual Core desktop
SKU	DEC600
Weight [Kg]	1.40
Country of Origin	The Netherlands
HS-Code	8517.62.49
Enclosure	Desktop & Wallmountable (with optional brackets)
Dimensions [W x H xD]	218mm x 44mm x 145mm
Firmware	OPNsense®
CPU	AMD G-SERIES SOC GX-210UA 1.0Ghz Dual Core
Memory	4GB DDR3
Storage	16GB Secure Digital Flash
Ethernet ports	3x GbE [Intel® i210AT]
Power Supply	External / DC socket (PSU is included)
Regulatory Compliance	FCC part 15 Class A, CE, Rohs
Storage & Operating conditions	Operating: 0 to +45°C / 10 to 90% r. H. non cond., Storage: -20 to +70°C / 5 to 95% r. H. non cond.
MSRP	EUR 399
Optional with 128GB SSD / MSRP	EUR 499 (DEC610)

OPNsense is an open source, easy-to-use and easy-to-build FreeBSD based firewall and routing platform.

OPNsense includes high-end features such as forward caching proxy, traffic shaping, intrusion detection and easy OpenVPN client setup. The latest release is based upon FreeBSD 11 for long-term support and uses a newly developed MVC-framework based on Phalcon.

OPNsense's focus on security brings unique features such as the option to use LibreSSL instead of OpenSSL (selectable in the GUI) and a custom version based on HardenedBSD.

The robust and reliable update mechanism gives OPNsense the ability to provide important security updates in a timely fashion.



FANLESS!



Specifications

Name	OPNsense A10 Quad Core desktop Gen2
SKU	DEC620
Weight [Kg]	1.40
Country of Origin	The Netherlands
HS-Code	8517.62.49
Enclosure	Desktop & Wallmountable (with optional brackets)
Dimensions [W x H xD]	2218mm x 44mm x 145mm
Firmware	OPNsense®
CPU	AMD G-SERIES SOC GX-416RA 1.6Ghz Quad Core
Memory	4GB DDR3 1600
Storage	16GB Secure Digital Flash
Ethernet ports	4x GbE [Intel® i210AT]
Power Supply	External / DC socket (PSU is included)
Regulatory Compliance	FCC part 15 Class A, CE, Rohs
Storage & Operating conditions	Operating: 0 to +45°C / 10 to 90% r. H. non cond., Storage: -20 to +70°C / 5 to 95% r. H. non cond.
MSRP	EUR 549
Optional with 128GB SSD / MSRP	EUR 649 (DEC630)

OPNsense is an open source, easy-to-use and easy-to-build FreeBSD based firewall and routing platform.

OPNsense includes high-end features such as forward caching proxy, traffic shaping, intrusion detection and easy OpenVPN client setup. The latest release is based upon FreeBSD 11 for long-term support and uses a newly developed MVC-framework based on Phalcon.

OPNsense's focus on security brings unique features such as the option to use LibreSSL instead of OpenSSL (selectable in the GUI) and a custom version based on HardenedBSD.

The robust and reliable update mechanism gives OPNsense the ability to provide important security updates in a timely fashion.



Specifications



Name	OPNsense A10 Dual Core Rack Gen2
SKU	DEC2600
Weight [Kg]	4.30
Country of Origin	The Netherlands
HS-Code	8517.62.49
Enclosure	Rack Mountable
Dimensions [W x H x D]	485 x 44 x 335mm
Firmware	OPNsense®
CPU	AMD G-SERIES SOC GX-210UA 1.0Ghz Dual Core
Memory	4GB DDR3
Storage	16GB Secure Digital Flash
Ethernet ports	3x GbE [Intel® i210AT]
Power Supply	Integrated with standard 3-pin C14 socket, AC 100~240V@50Hz~60Hz
Regulatory Compliance	FCC part 15 Class A, CE, Rohs
Storage & Operating conditions	Operating: 0 to +45°C / 10 to 90% r. H. non cond., Storage: -20 to +70°C / 5 to 95% r. H. non cond.
MSRP	EUR 549
Optional with 128GB SSD / MSRP	EUR 649 (DEC2610)



OPNsense is an open source, easy-to-use and easy-to-build FreeBSD based firewall and routing platform.

OPNsense includes high-end features such as forward caching proxy, traffic shaping, intrusion detection and easy OpenVPN client setup. The latest release is based upon FreeBSD 11 for long-term support and uses a newly developed MVC-framework based on Phalcon.

OPNsense's focus on security brings unique features such as the option to use LibreSSL instead of OpenSSL (selectable in the GUI) and a custom version based on HardenedBSD.

The robust and reliable update mechanism gives OPNsense the ability to provide important security updates in a timely fashion.

OPNsense A10 Quad Core SSD Rack Gen2



Specifications



Name	OPNsense A10 Quad Core SSD Rack Gen2
SKU	DEC2630
Weight [Kg]	4.30
Country of Origin	The Netherlands
HS-Code	8517.62.49
Enclosure	Rack Mountable
Dimensions [W x H xD]	485 x 44 x 335mm
Firmware	OPNsense®
CPU	AMD G-SERIES SOC GX-416RA 1.6Ghz Quad Core
Memory	4GB DDR3 1600
Storage	128GB Solid State Flash Drive
Ethernet ports	4x GbE [Intel® i210AT]
Power Supply	Integrated with standard 3-pin C14 socket, AC 100~240V@50Hz~60Hz
Regulatory Compliance	FCC part 15 Class A, CE, Rohs
Storage & Operating conditions	Operating: 0 to +45°C / 10 to 90% r. H. non cond., Storage: -20 to +70°C / 5 to 95% r. H. non cond.
MSRP	EUR 799

OPNsense is an open source, easy-to-use and easy-to-build FreeBSD based firewall and routing platform.

OPNsense includes high-end features such as forward caching proxy, traffic shaping, intrusion detection and easy OpenVPN client setup. The latest release is based upon FreeBSD 11 for long-term support and uses a newly developed MVC-framework based on Phalcon.

OPNsense's focus on security brings unique features such as the option to use LibreSSL instead of OpenSSL (selectable in the GUI) and a custom version based on HardenedBSD.

The robust and reliable update mechanism gives OPNsense the ability to provide important security updates in a timely fashion.

OPNsense A10 Quad Core 8 port SSD Rack Gen2



Specifications



Name	OPNsense A10 Quad Core SSD 8 port Rack Gen2
SKU	DEC2650
Weight [Kg]	4.5
Country of Origin	The Netherlands
HS-Code	8517.62.49
Enclosure	Rack Mountable
Dimensions [W x H xD]	485 x 44 x 335mm
Firmware	OPNsense®
CPU	AMD G-SERIES SOC GX-416RA 1.6Ghz Quad Core
Memory	4GB DDR3 1600
Storage	128GB Solid State Flash Drive
Ethernet ports	8x GbE [Intel® i210AT]
Power Supply	Integrated with standard 3-pin C14 socket, AC 100~240V@50Hz~60Hz
Regulatory Compliance	FCC part 15 Class A, CE, Rohs
Storage & Operating conditions	Operating: 0 to +45°C / 10 to 90% r. H. non cond., Storage: -20 to +70°C / 5 to 95% r. H. non cond.
MSRP	EUR 999

OPNsense is an open source, easy-to-use and easy-to-build FreeBSD based firewall and routing platform.

OPNsense includes high-end features such as forward caching proxy, traffic shaping, intrusion detection and easy OpenVPN client setup. The latest release is based upon FreeBSD 11 for long-term support and uses a newly developed MVC-framework based on Phalcon.

OPNsense's focus on security brings unique features such as the option to use LibreSSL instead of OpenSSL (selectable in the GUI) and a custom version based on HardenedBSD.

The robust and reliable update mechanism gives OPNsense the ability to provide important security updates in a timely fashion.

OPNsense Dual A10 QC SSD Rack Gen2



Specifications



OPNsense is an open source, easy-to-use and easy-to-build FreeBSD based firewall and routing platform.

OPNsense includes high-end features such as forward caching proxy, traffic shaping, intrusion detection and easy OpenVPN client setup. The latest release is based upon FreeBSD 11 for long-term support and uses a newly developed MVC-framework based on Phalcon.

OPNsense's focus on security brings unique features such as the option to use LibreSSL instead of OpenSSL (selectable in the GUI) and a custom version based on HardenedBSD.

The robust and reliable update mechanism gives OPNsense the ability to provide important security updates in a timely fashion.

Name	OPNsense Dual A10 QC SSD Rack Gen2
SKU	DEC2670
Weight [Kg]	5.5
Country of Origin	The Netherlands
HS-Code	8517.62.49
Enclosure	Rack Mountable
Dimensions [W x H x D]	485 x 44 x 335mm
Firmware	OPNsense®
CPU (2x)	AMD G-SERIES SOC GX-416RA 1.6Ghz Quad Core
Memory (2x)	4GB DDR3 1600
Storage (2x)	128GB Solid State Flash Drive
Ethernet ports (2x)	4x GbE [Intel® i210AT]
Power Supply (2x)	Integrated with standard 3-pin C14 socket, AC 100~240V@50Hz~60Hz
Regulatory Compliance	FCC part 15 Class A, CE, Rohs
Storage & Operating conditions	Operating: 0 to +45°C / 10 to 90% r. H. non cond., Storage: -20 to +70°C / 5 to 95% r. H. non cond.
MSRP	EUR 1399

OPNsense Quad Core Gen4 SSD



Specifications

Name	OPNsense Quad Core Gen4 SSD
SKU	DEC4610
Weight [Kg]	6.3
Country of Origin	The Netherlands
HS-Code	8517.62.49
Enclosure	Rack Mountable
Dimensions [W x H xD]	485 x 44 x 407mm
Firmware	OPNsense®
CPU	Intel® Xeon™ E3-1225V5 3.3Ghz Quad Core
Memory	8GB DDR4
Storage	128Gb Solid State Drive
Ethernet ports	8x GbE [Intel® I210-AT]
Power Supply	Integrated with standard 3-pin C14 socket, AC 100~240V@50Hz~60Hz
Regulatory Compliance	FCC part 15 Class A, CE, Rohs
Storage & Operating conditions	Operating: 0 to +45°C / 10 to 90% r. H. non cond., Storage: -20 to +70°C / 5 to 95% r. H. non cond.
MSRP	EUR 1799

OPNsense is an open source, easy-to-use and easy-to-build FreeBSD based firewall and routing platform.

OPNsense includes high-end features such as forward caching proxy, traffic shaping, intrusion detection and easy OpenVPN client setup. The latest release is based upon FreeBSD 11 for long-term support and uses a newly developed MVC-framework based on Phalcon.

OPNsense's focus on security brings unique features such as the option to use LibreSSL instead of OpenSSL (selectable in the GUI) and a custom version based on HardenedBSD.

The robust and reliable update mechanism gives OPNsense the ability to provide important security updates in a timely fashion.

OPNsense Quad Core Gen4 16 port SSD

16x
Gigabit
port



Specifications



OPNsense is an open source, easy-to-use and easy-to-build FreeBSD based firewall and routing platform.

OPNsense includes high-end features such as forward caching proxy, traffic shaping, intrusion detection and easy OpenVPN client setup. The latest release is based upon FreeBSD 11 for long-term support and uses a newly developed MVC-framework based on Phalcon.

OPNsense's focus on security brings unique features such as the option to use LibreSSL instead of OpenSSL (selectable in the GUI) and a custom version based on HardenedBSD.

The robust and reliable update mechanism gives OPNsense the ability to provide important security updates in a timely fashion.

Name	OPNsense Quad Core Gen4 16 port SSD
SKU	DEC4620
Weight [Kg]	6.5
Country of Origin	The Netherlands
HS-Code	8517.62.49
Enclosure	Rack Mountable
Dimensions [W x H xD]	485 x 44 x 407mm
Firmware	OPNsense®
CPU	Intel® Xeon™ E3-1225V5 3.3Ghz Quad Core
Memory	8GB DDR4
Storage	128Gb Solid State Drive
Ethernet ports	8x GbE [Intel® I210-AT] + 8x GbE [Intel® I350]
Power Supply	Integrated with standard 3-pin C14 socket, AC 100~240V@50Hz~60Hz
Regulatory Compliance	FCC part 15 Class A, CE, Rohs
Storage & Operating conditions	Operating: 0 to +45°C / 10 to 90% r. H. non cond., Storage: -20 to +70°C / 5 to 95% r. H. non cond.
MSRP	EUR 2299

10GBps
2x SFP+



Specifications



Name	OPNsense Quad Core Gen4 10Gb 2 port SSD
SKU	DEC4630
Weight [Kg]	8.5
Country of Origin	The Netherlands
HS-Code	8517.62.49
Enclosure	Rack Mountable
Dimensions [W x H xD]	485 x 44 x 407mm
Firmware	OPNsense®
CPU	Intel® Xeon™ E3-1225V5 3.3Ghz Quad Core
Memory	8GB DDR4
Storage	128Gb Solid State Drive
Ethernet ports	2x 10GbE SFP+ [Intel® X710-BM2] + 8x GbE [Intel® I210-AT]
Power Supply	Integrated with standard 3-pin C14 socket, AC 100~240V@50Hz~60Hz
Regulatory Compliance	FCC part 15 Class A, CE, Rohs
Storage & Operating conditions	Operating: 0 to +45°C / 10 to 90% r. H. non cond., Storage: -20 to +70°C / 5 to 95% r. H. non cond.
MSRP	EUR 1999

OPNsense is an open source, easy-to-use and easy-to-build FreeBSD based firewall and routing platform.

OPNsense includes high-end features such as forward caching proxy, traffic shaping, intrusion detection and easy OpenVPN client setup. The latest release is based upon FreeBSD 11 for long-term support and uses a newly developed MVC-framework based on Phalcon.

OPNsense's focus on security brings unique features such as the option to use LibreSSL instead of OpenSSL (selectable in the GUI) and a custom version based on HardenedBSD.

The robust and reliable update mechanism gives OPNsense the ability to provide important security updates in a timely fashion.

OPNsense Quad Core Gen4 10Gb 4 port SSD

10Gbps
4x SFP+



Specifications



Name	OPNsense Quad Core Gen3 10Gb 4 port SSD
SKU	DEC2640
Weight [Kg]	8.5
Country of Origin	The Netherlands
HS-Code	8517.62.49
Enclosure	Rack Mountable
Dimensions [W x H xD]	485 x 44 x 407mm
Firmware	OPNsense®
CPU	Intel® Xeon™ E3-1275V6 3.8Ghz Quad Core
Memory	16GB DDR4
Storage	256GB NVMe Solid State Drive
Ethernet ports	4x 10GbE SFP+ [Intel® X710-BM4], 8x GbE [Intel® I210-AT]
Power Supply	Integrated with standard 3-pin C14 socket, AC 100~240V@50Hz~60Hz
Regulatory Compliance	FCC part 15 Class A, CE, Rohs
Storage & Operating conditions	Operating: 0 to +45°C / 10 to 90% r. H. non cond., Storage: -20 to +70°C / 5 to 95% r. H. non cond.
MSRP	EUR 2799

OPNsense is an open source, easy-to-use and easy-to-build FreeBSD based firewall and routing platform.

OPNsense includes high-end features such as forward caching proxy, traffic shaping, intrusion detection and easy OpenVPN client setup. The latest release is based upon FreeBSD 11 for long-term support and uses a newly developed MVC-framework based on Phalcon.

OPNsense's focus on security brings unique features such as the option to use LibreSSL instead of OpenSSL (selectable in the GUI) and a custom version based on HardenedBSD.

The robust and reliable update mechanism gives OPNsense the ability to provide important security updates in a timely fashion.

